

Bedrule Pty Ltd
(t/a TOBCO)
Level 17, 40 Mount Street
North Sydney NSW 2060

Attn: Sam Turnbull
Director

Tel: (02) 8145 9899
Email: Sam@tobco.com.au

Mob: 0428 241 168

PREQUALIFICATION OF CONTRACTORS

Dear Sir,

I refer to your application for the prequalification categories R2 & B2 under the National Prequalification System.

Your application for category B2 is unsuccessful at this stage. TOBCO has not fully demonstrated the technical capability to satisfy all the required assessment criteria for this category as described in the NPS Guidelines. In order to be prequalified for category B2, TOBCO is required to construct small size road bridge, simple precast concrete planks bridge, reinforced concrete bridge deck, bridge bearing etc.

After the assessment, I would like to advise that your company has been prequalified with RMS NSW for:

Roadworks level	R2
Financial level	F0.25 (\$250K)
Prequalification status	Full

The RMS Certificate of Prequalification is attached. The prequalification is valid for 3 years from the date of this letter and it will expire on 20 September 2020.

Yours faithfully,



Chris Martin
Manager Policy, Systems & Processes
Commercial Services Branch
Technical & Project Services Division
21 September 2017



Austrroads National Prequalification System for Civil (Road and Bridge) Construction Contracts

CERTIFICATE OF PREQUALIFICATION

ASSESSING AUTHORITY: Roads and Maritime Services

ENTITY: Bedrule Pty Ltd (t/a TOBCO)

ABN/ACN: 37 158 027 260 / 158 027 260

ADDRESS Level 17, 40 Mount Street North Sydney NSW 2060

PREQUALIFICATION STATUS: FULL

PREQUALIFICATION PERIOD: 21 September 2017 to 20 September 2020

CATEGORY: ROAD BRIDGE SPECIALIST

R2

FINANCIAL LEVEL: F0.25 (\$250K)

AUTHORISED:

Chris Martin
Manager Policy, Systems & Processes
Commercial Services Branch
Technical & Project Services Division

DATE: 21 September 2017

CERTIFICATE NUMBER: NSW 538

Note: Where a qualitative adjustment is applied and results in an upward adjustment greater than one level, this is noted via an asterisk on the 'F' Level.